

CRAFTMADE

EST. 1985

2024 SUPPLEMENTAL

LIGHTING  
& CEILING  
FANS

---

Since 1985, Craftmade continues to deliver a variety of beautifully crafted, energy-efficient ceiling fans, lighting and accessories for both indoors and out. We believe that quality should never be cost prohibitive, and style should always be attainable. There are other companies out there, but only one Craftmade.

# Table of Contents

---

Lighting	Lookbook	8
	Collections	26
	Vanities	36
	Mirrors	40

---

Ceiling Fans	Lookbook	46
	Collections	72

---

Resources	Finishes	98
	Blade Finishes	99
	Accessory Compatibility	100
	Control Compatibility	101
	Warranty	102

---

Index	Lighting Visual Index	106
	Ceiling Fan Visual Index	107
	Indoor / Outdoor Ceiling Fan Visual Index	109
	Numeric Index	110



# Lighting



KOKOMO 9 LIGHT CHANDELIER  
Page 34

---

Lookbook	8
Collections	26
Vanities	36
Mirrors	40



Above  
Sculptural Statement Pendant Large Dome LED Pendant  
Page 35



Above  
Rori 3 Light Vanity  
Page 38



Above  
**Reveal 1 Light Mini Pendant**  
Page 30

Right  
**Jackie Adjustable Height LED Pendant**  
Page 28





Above  
Serena 1 Light Mini Pendant  
Page 33



Above  
Square Frameless LED Mirror  
Page 42



Above  
Mesh 4 Light Pendant  
Page 32



Above  
Sculptural Statement Pendants Small Dome & Mesh Tiers LED Pendant  
Page 35



Above  
Bond Street 1 Light Wall Sconce  
Page 38



Above  
Bond Street 5 Light Vanity  
Page 38



Above  
Sculptural Statement Pendants Double Mesh Dome LED Pendant  
Page 35



Above  
Rectangle Framed LED Mirror  
Page 43



Above  
Rectangle Framed LED Mirror  
Page 43



Above  
Sculptural Statement Pendant Mesh Dome LED Pendant  
Page 35




Above  
**Kokomo 4 Light Chandelier**  
Page 34

Right  
**Serena 6 Light Pendant**  
Page 33





Above  
Rori 3 Light Vanity  
Page 38



Above  
Reveal 1 Light Mini Pendant  
Page 30



REVEAL 13 LIGHT CHANDELIER  
Page 30


## Lighting Collections

Jackie	28
Kokomo	34
Mesh	32
Reveal	30
Sculptural Statement Pendants	35
Serena	33



146" LED Chandelier  
59495-PLN-LED

W 12.6" H 146"  
Canopy DIA 12.6"  
116 Watt Dimmable LED  
3000K, 5951 Lumens



Adjustable Height  
LED Pendant  
59490-SB-LED

W 6.3" H 20"  
Canopy DIA 5.88", 8" 2" Cord  
16 Watt Dimmable LED  
3000K, 912 Lumens



107" LED Chandelier  
59494-SB-LED

W 12.6" H 106.9"  
Canopy DIA 12.6"  
84 Watt Dimmable LED  
3000K, 4309 Lumens



82" LED Chandelier  
59493-PLN-LED

W 12.6" H 82.5"  
Canopy DIA 12.6"  
64 Watt Dimmable LED  
3000K, 3283 Lumens




38" LED Pendant  
59491-PLN-LED

W 7.13" H 38.25"  
Canopy DIA 7.13"  
28 Watt Dimmable LED  
3000K, 1436 Lumens



48" LED Pendant  
59492-SB-LED

W 8.3" H 47.8"  
Canopy DIA 8.3"  
36 Watt Dimmable LED  
3000K, 1847 Lumens



26" LED  
Wall Sconce  
59460-PLN-LED

W 6.3" H 25.63" E 6.3"  
Backplate DIA 6.3"  
16 Watt Dimmable LED  
3000K, 821 Lumens

## JACKIE NEW ADDITION

### FEATURES

- 4.13" Clear Acrylic Organic Shaped Globes with Frosted Interiors
- Weight Mounting Requirements:  
59490 - 8.60lbs  
59491 - 13.45lbs  
59492 - 16.98lbs  
59493 - 30.42lbs  
59494 - 41.56lbs  
59495 - 53.48lbs
- Indoor Rated

### FINISHES



POLISHED NICKEL

SATIN BRASS



13 Light Chandelier  
59213-CH

W 28" H 37.88"  
Canopy DIA 5.88"  
6" Chain, 9' Cord  
40 Watt Medium Base




9 Light Chandelier  
59229-CH

W 22.25" H 31.3"  
Canopy DIA 5.88"  
6" Chain, 9' Cord  
40 Watt Medium Base



1 Light Wall Sconce  
59201-CH  
W 7.75" H 11" E 4.5"  
Backplate W 5.91" H 8.63"  
60 Watt Medium Base

DAMP RATED



3 Light Vanity  
59203-CH


W 26" H 9" E 5.25"  
Backplate W 26" H 5.91"  
60 Watt Medium Base

DAMP RATED



1 Light Mini Pendant  
59291-CH

W 7.68" H 11"  
Canopy DIA 5.88"  
6' Cord  
2x6" & 2x12" Downrods  
60 Watt Medium Base



4 Light Vanity  
59204-CH

W 34.25" H 9" E 5.25"  
Backplate W 34.25" H 5.91"  
60 Watt Medium Base

DAMP RATED



3 Light Semi Flush  
59253-CH

W 16.38" H 15.63"  
Canopy DIA 5.88"  
60 Watt Medium Base



28" Fandelier  
RVL28CH4

See Page 83 For More Information

## REVEAL <sup>NEW</sup>

### FEATURES

- Clear Acrylic Rods
- Chandeliers, Mini Pendant, & Semi Flush are Indoor Rated
- Wall Sconce & Vanities are Damp Rated

### FINISHES



CHROME




12 Light Pendant  
**58992-FB**  
W 36" H 53"  
Canopy DIA 5.5"  
6' Chain, 9' Cord  
40 Watt Medium Base  
36" Metal Drum Shade



6 Light Pendant  
**58596-FBWAL**  
W 24.13" H 21.5"  
Canopy DIA H 5.12"  
5' 8" Cord  
2x6" & 2x12" Downrods  
60 Watt Medium Base  
24.13" Rope Wrapped  
Shade with 15.75" Glass



4 Light Pendant  
**58994-FB**  
W 28" H 34"  
Canopy DIA 5.5"  
6' Chain, 9' Cord  
60 Watt Medium Base  
28" Metal Drum Shade



9 Light Pendant  
**58999-SB**  
W 36" H 45.25"  
Canopy DIA 5.5"  
6' Chain, 9' Cord  
40 Watt Medium Base  
36" Metal Drum Shade



1 Light Wall Sconce  
**58561-FBWAL**  
W 9" H 12.13" E 10.5"  
Backplate W 5.12" H 7.87"  
60 Watt Medium Base  
9" Rope Wrapped  
Shade with 2.95" Glass




1 Light Mini Pendant  
**58591-CHWAL**  
W 12.13" H 14.5"  
Canopy DIA 5.12"  
5' 8" Cord  
2x6" & 2x12" Downrods  
60 Watt Medium Base  
12.13" Rope Wrapped  
Shade with 3.94" Glass

## MESH <sup>NEW</sup>

### FEATURES

- Metal Drum Shades
- Indoor Rated

### FINISHES



## SERENA <sup>NEW</sup>

### FEATURES

- Natural Hemp Rope Wrapped Frames
- Wall Sconce Mounts Up or Down
- Indoor Rated

### FINISHES





**9 Light Chandelier**  
**58329-ABZ**

W 36" H 32.88"  
Canopy DIA 5.75"  
6" Chain, 12' 6" Cord  
60 Watt Candelabra, 5.51" Sea Grass Shades



**4 Light Chandelier**  
**58324-MWW**

W 21.25" H 17.88"  
Canopy DIA 5.75"  
6" Chain, 12' 6" Cord  
60 Watt Candelabra, 5.51" Sea Grass Shade



**1 Light Wall Sconce**  
**58361-ABZ**

W 5.75" H 10.13" E 8.88"  
Backplate W 5.75" H 7.38"  
60 Watt Candelabra  
5.51" Sea Grass Shade



**6 Light Chandelier**  
**58326-MWW**

W 24" H 21"  
Canopy DIA 5.75"  
6" Chain, 12' 6" Cord  
60 Watt Candelabra  
5.51" Sea Grass Shades



**2 Light Wall Sconce**  
**58362-MWW**

W 14.13" H 10.13" E 7.88"  
Backplate W 7.38" H 5.75"  
60 Watt Candelabra  
5.51" Sea Grass Shades



**Small Dome LED Pendant**  
**P1000FB-LED**

W 23.25" H 10.63"  
Canopy DIA 5.5"  
6" Cord  
2x6" & 2x12" Downrods  
30 Watt Dimmable LED  
3000K, 900 Lumens  
23.25" Metal Dome Shade

Finishes Available:  
FB



**Large Dome LED Pendant**  
**P1001FB-LED**

W 34.75" H 15.13"  
Canopy DIA 5.5"  
6" Cord  
2x6" & 2x12" Downrods  
40 Watt Dimmable LED  
3000K, 1200 Lumens  
34.75" Metal Dome Shade

Finishes Available:  
FB



**Mesh Dome LED Pendant**  
**P1005BNK-LED**

W 24.25" H 12.25"  
Canopy DIA 5"  
6" Cord  
2x6" & 2x12" Downrods  
18 Watt Dimmable LED  
3000K, 720 Lumens  
24.25" Mesh Dome Shade

Finishes Available:  
BNK, FB, & SB



**Double Mesh Dome LED Pendant**  
**P1006SB-LED**

W 24.25" H 16"  
Canopy DIA 5"  
6" Cord  
2x6" & 2x12" Downrods  
18 Watt Dimmable LED  
3000K, 720 Lumens  
24.25" Mesh Dome Shade

Finishes Available:  
BNK, FB, & SB



**Small Dome & Mesh Tiers LED Pendant**  
**P1010FBMG-LED**

W 19" H 14.38"  
Canopy DIA 5"  
6" Cord  
2x6" & 2x12" Downrods  
18 Watt Dimmable LED  
3000K, 720 Lumens  
19" Metal Dome Shade

Finishes Available:  
FBMG & MWWMG



**Large Dome & Mesh Tiers LED Pendant**  
**P1011MWWMG-LED**

W 31.25" H 25.38"  
Canopy DIA 5.5"  
6" Cord  
2x6" & 2x12" Downrods  
40 Watt Dimmable LED  
3000K, 1200 Lumens  
31.25" Metal Drum Shade

Finishes Available:  
FBMG & MWWMG

**KOKOMO NEW**

**FEATURES**

- Natural Sea Grass Shades
- Indoor Rated

**FINISHES**



**SCULPTURAL STATEMENT PENDANTS NEW**

**FEATURES**

- P1000, P1001, P1010, & P1011 are Damp Rated
- P1005 & P1006 in FB are Damp Rated
- P1005 & P1006 in BNK & SB are Indoor Rated

**FINISHES**





## Vanities

Bond Street	38
Hendrix	39
Reveal	39
Rori	38



**3 Light Vanity  
17720PLN3**

W 20.25" H 6.5" E 6.75"  
Backplate W 20.25" H 5.25"  
60 Watt Medium Base  
4.33" Clear Glass



**1 Light Wall Sconce  
17705FB1**

W 5.25" H 6.5" E 6.75"  
Backplate W 5.25" H 6.5"  
60 Watt Medium Base  
4.33" Clear Glass



**3 Light Vanity  
17621SB3**

W 20.5" H 8.25" E 5.5"  
Backplate W 20.5" H 5.25"  
60 Watt Medium Base  
4" Clear Glass



**1 Light Wall Sconce  
17605FB1**

W 5.25" H 8.5" E 5.5"  
Backplate W 5.25" H 8.5"  
60 Watt Medium Base  
4" Clear Glass

## RORI NEW

### FEATURES

- Clear Glass
- Up or Down Wall Mount
- Damp Rated

### FINISHES




**2 Light Vanity  
17712PLN2**

W 12.38" H 6.5" E 6.75"  
Backplate W 12.38" H 5.25"  
60 Watt Medium Base  
4.33" Clear Glass



**4 Light Vanity  
17728FB4**


W 28.25" H 6.5" E 6.75"  
Backplate W 28.25" H 5.25"  
60 Watt Medium Base  
4.33" Clear Glass

## HENDRIX NEW

### FEATURES

- Clear Glass
- Up or Down Wall Mount
- Damp Rated

### FINISHES




**2 Light Vanity  
17614BNK2**

W 14" H 8.25" E 5.5"  
Backplate W 14" H 5.25"  
60 Watt Medium Base  
4" Clear Glass



**4 Light Vanity  
17631SB4**

W 30.75" H 8.25" E 5.5"  
Backplate W 30.75" H 5.25"  
60 Watt Medium Base  
4" Clear Glass



**3 Light Vanity  
11819FBSB3**

W 19" H 6.5" E 5"  
Backplate W 6.5" H 4.5"  
60 Watt Medium Base  
2.99" Clear Ribbed Glass




**1 Light Wall Sconce  
11805FBSB1**

W 4.5" H 6.5" E 5"  
Backplate W 4.5" H 6.5"  
60 Watt Medium Base  
2.99" Clear Ribbed Glass



**2 Light Vanity  
11811FBSB2**

W 11" H 6.5" E 5"  
Backplate W 6.5" H 4.5"  
60 Watt Medium Base  
2.99" Clear Ribbed Glass



**3 Light Vanity  
59203-CH**

W 26" H 9" E 5.25"  
Backplate W 26" H 5.91"  
60 Watt Medium Base



**1 Light Wall Sconce  
59201-CH**

W 7.75" H 11" E 4.5"  
Backplate W 5.91" H 8.63"  
60 Watt Medium Base

## BOND STREET NEW

### FEATURES

- Clear Ribbed Glass
- Up or Down Wall Mount
- Damp Rated
- T Type Bulb is Recommended

### FINISHES




**4 Light Vanity  
11827FBSB4**

W 27" H 6.5" E 5"  
Backplate W 6.5" H 4.5"  
60 Watt Medium Base  
2.99" Clear Ribbed Glass



**5 Light Vanity  
11835FBSB5**


W 35" H 6.5" E 5"  
Backplate W 6.5" H 4.5"  
60 Watt Medium Base  
2.99" Clear Ribbed Glass

## REVEAL NEW

### FEATURES

- Clear Acrylic Rods
- See Full Reveal Collection on Page 30
- Damp Rated

### FINISHES

**4 Light Vanity  
59204-CH**

W 34.25" H 9" E 5.25"  
Backplate W 34.25" H 5.91"  
60 Watt Medium Base



RECTANGLE FRAMELESS LED MIRROR  
Page 43

## LED Mirrors

LED Mirrors

NEW



Square Frameless LED Mirror  
**MIR3601SQ-W3C**

W 36" H 36"  
Horizontal Mount, 2 Piece Chassis / Glass Construction  
Touch Button Adjustable CCT Control with Defogger  
50 Watt Dimmable LED, 3000K/4000K/5000K, 1414 Lumens

## LED MIRRORS

### FEATURES

- Damp Rated

### FINISHES



BRUSHED POLISHED  
NICKEL



FLAT BLACK



WHITE

NEW



Rectangle Frameless LED Mirror W 48" H 36" Horizontal or Vertical Mount  
**MIR4801RT-W3C** 2 Piece Chassis / Glass Construction  
Touch Button Adjustable CCT Control with Defogger  
57 Watt Dimmable LED, 3000K/4000K/5000K, 1456 Lumens

NEW



Rectangle Framed LED Mirror W 60" H 36"  
**MIR6002RT-BNK3C** Horizontal or Vertical Mount  
Touch Button Adjustable CCT Control with Defogger  
79 Watt Dimmable LED, 3000K/4000K/5000K, 2322 Lumens

NEW



Rectangle Framed LED Mirror  
**MIR6001RT-FB3C**

W 60" H 36"  
Horizontal or Vertical Mount  
Touch Button Adjustable CCT Control with Defogger  
79 Watt Dimmable LED, 3000K/4000K/5000K, 2322 Lumens

# Ceiling Fans





Above  
Wheeler 52" Bowl Light  
Page 89



Above  
Reveal 28"  
Page 83



Left  
**Union 42"**  
 Page 81

Above  
**McCoy 52" 5 Blade**  
 Page 87



Above  
**Nate 52"**  
Page 78



Above  
**Donovan 52"**  
Page 79



Above  
**Hogan 54"**  
Page 80



Above  
**Nate 52"**  
Page 78



Above  
Donovan 52"  
Page 79



Above  
Theyry 52"  
Page 74



Above  
**Bellows IV 14"**  
Page 94



Above  
**Quell 52"**  
Page 77



Above  
McCoy 42" 3 Blade  
Page 85



Above  
Sofia 42"  
Page 82



Above  
Hogan 54"  
Page 80



Above  
Union 42"  
Page 81



Above  
Otto 60"  
Page 76



Above  
Theyry 52"  
Page 74



Above  
Bellows II 48"  
Page 92

Right  
Topper 52"  
Page 75






Above  
**Topper 52"**  
Page 75



Above  
**Hogan 54"**  
Page 80




Above  
Bellows | 16" Hard-Wired  
Page 91



Above  
Bellows | 16"  
Page 90



Above  
Wheeler 52" 3 Light  
Page 88






Above  
Bellows III 21"  
Page 93



## Ceiling Fan Collections

Bellows I 16"	90
Bellows I 16" Hard-Wired	91
Bellows II 48"	92
Bellows III 21"	93
Bellows IV 14"	94
Donovan 52"	79
Hogan 54"	80
McCoy 42" 3 Blade	85
McCoy 52" 4 Blade	86
McCoy 52" 5 Blade	87
Nate 52"	78
Otto 60"	76
Quell 52"	77
Reveal 28"	83
Sofia 42"	82
Theiry 52"	74
Topper 52"	75
Union 42"	81
Wheeler 52" 3 Light	88
Wheeler 52" Bowl Light	89
Whiskey 42"	84



## THEIRY 52" NEW

### FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23° Slope Mount with SMA180XX adapter
- 6" Downrod Included
- Custom Blades Included
- Optional 20 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- Adjustable CCT 3000K/4000K/5000K LED
- WIDC-CCT Control Included
- Wi-Fi Enabled with Smart by Bond Compatibility
- Indoor Rated

### SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	13°
Motor Size (MM)	155.5x15
Included Control	WIDC-CCT
Compatible Control Types	Type M
Amps (Hi Speed)	0.4
Watts (Hi Speed)	28.77
Energy Guide Watts	20
Energy Guide CFM	3846
Energy Guide CFM Watts	192
Energy Guide 1st. Yearly Energy Cost	6
High Speed (CFM)	5809
Low Speed (CFM)	1622
Carton Size (CU FT)	1.82
Shipping Wt. (lbs)	22.27
UPS Oversized	No

### FINISH AND BLADE PAIRINGS



### CEILING DROP DIMENSIONS

A	17.51"
B	14.08"
C	9.13"
D	5.91"
E	4.47"
DR	6"

### LED SPECS

Bulb CCT	Adjustable
Bulb Wattage	20
CRI	80
Lumens	1083
Light Kit	Optional

DC MOTOR cULus LISTED

SMART BY BOND JAB TITLE 24

## TOPPER 52" NEW

### FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23° Slope Mount with SMA180XX adapter
- 6" Downrod Included
- Custom ABS Blades Included
- Optional 20 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- Adjustable CCT 3000K/4000K/5000K LED
- WIDC-CCT Control Included
- Wi-Fi Enabled with Smart by Bond Compatibility
- FB Finish is Wet Rated  
BNK Finish is Indoor Rated

### SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	13°
Motor Size (MM)	155.5x15
Included Control	WIDC-CCT
Compatible Control Types	Type M
Amps (Hi Speed)	0.32
Watts (Hi Speed)	21.97
Energy Guide Watts	16
Energy Guide CFM	3656
Energy Guide CFM Watts	224
Energy Guide 1st. Yearly Energy Cost	5
High Speed (CFM)	5525
Low Speed (CFM)	1538
Carton Size (CU FT)	2.75
Shipping Wt. (lbs)	25.35
UPS Oversized	No

### FINISH AND BLADE PAIRINGS



### CEILING DROP DIMENSIONS




A	17.77"
B	12.97"
C	16.01"
D	5.91"
E	4.49"
DR	6"

### LED SPECS

Bulb CCT	Adjustable
Bulb Wattage	20
CRI	80
Lumens	1177
Light Kit	Optional

DC MOTOR cULus LISTED

SMART BY BOND JAB TITLE 24




## OTTO 60" NEW

### FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
- 6" Downrod Included
- Custom ABS Blades Included
- Optional 20 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- Adjustable CCT 3000K/4000K/5000K LED
- WIDC-CCT Control Included
- Wi-Fi Enabled with Smart by Bond Compatibility
- Indoor Rated

### CEILING DROP DIMENSIONS



### SPECS

Blade Sweep	60"
Number of Blades	3
Blade Pitch	0°-16°
Motor Size (MM)	123x15
Included Control	WIDC-CCT
Compatible Control Types	Type M
Amps (Hi Speed)	0.22
Watts (Hi Speed)	16.04
Energy Guide Watts	12
Energy Guide CFM	3162
Energy Guide CFM Watts	265
Energy Guide 1st. Yearly Energy Cost	3
High Speed (CFM)	4751
Low Speed (CFM)	1362
Carton Size (CU FT)	1.42
Shipping Wt. (lbs)	15.43
UPS Oversized	No

### LED SPECS

Bulb CCT	Adjustable
Bulb Wattage	20
CRI	80
Lumens	1303
Light Kit	Optional

### FINISH AND BLADE PAIRINGS



DC MOTOR    cULus LISTED


SMART BY BOND    JAB TITLE 24

## QUELL 52" NEW

### FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
- 6" Downrod Included
- Custom ABS Blades Included
- Optional 12 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- WIDC Handheld Control Included
- Wi-Fi Enabled with Smart by Bond Compatibility
- Damp Rated

### CEILING DROP DIMENSIONS




### SPECS

Blade Sweep	52"
Number of Blades	4
Blade Pitch	12°
Motor Size (MM)	100x20
Included Control	WIDC-Handheld
Compatible Control Types	Type I
Amps (Hi Speed)	0.44
Watts (Hi Speed)	30.55
Energy Guide Watts	19
Energy Guide CFM	3174
Energy Guide CFM Watts	163
Energy Guide 1st. Yearly Energy Cost	5
High Speed (CFM)	3731
Low Speed (CFM)	1409
Carton Size (CU FT)	1.23
Shipping Wt. (lbs)	13.49
UPS Oversized	No

### LED SPECS


Bulb CCT	3000K
Bulb Wattage	12
CRI	90
Lumens	595
Light Kit	Optional

### FINISH AND BLADE PAIRINGS



DC MOTOR    DAMP RATED    JAB TITLE 24

cETLus LISTED    SMART BY BOND




## NATE 52" NEW

### FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23° Slope Mount with SMA180XX adapter
- 6" Downrod Included
- Custom ABS Blades Included
- Optional 18 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- WIDC Handheld Control Included
- Wi-Fi Enabled with Smart by Bond Compatibility
- FB & W Finishes are Damp Rated  
PLN Finish is Indoor Rated

### CEILING DROP DIMENSIONS



### SPECS

Blade Sweep	52"
Number of Blades	3
Blade Pitch	12.7°
Motor Size (MM)	123x15
Included Control	WIDC-Handheld
Compatible Control Types	Type I
Amps (Hi Speed)	0.25
Watts (Hi Speed)	15.4
Energy Guide Watts	11
Energy Guide CFM	3559
Energy Guide CFM Watts	337
Energy Guide 1st. Yearly Energy Cost	3
High Speed (CFM)	5467
Low Speed (CFM)	1396
Carton Size (CU FT)	1.31
Shipping Wt. (lbs)	15.43
UPS Oversized	No

### LED SPECS

Bulb CCT	3000K
Bulb Wattage	18
CRI	90
Lumens	917
Light Kit	Optional

### FINISH AND BLADE PAIRINGS




DC MOTOR    cULus LISTED  
SMART BY BOND    JAB TITLE 24

## DONOVAN 52" NEW

### FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23° Slope Mount with SMA180XX adapter
- 6" Downrod Included
- Custom ABS Blades Included
- Optional 12 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- WIDC Handheld Control Included
- Wi-Fi Enabled with Smart by Bond Compatibility
- Damp Rated

### CEILING DROP DIMENSIONS



### SPECS

Blade Sweep	52"
Number of Blades	3
Blade Pitch	15°
Motor Size (MM)	120x20
Included Control	WIDC-Handheld
Compatible Control Types	Type I
Amps (Hi Speed)	0.37
Watts (Hi Speed)	25.65
Energy Guide Watts	17
Energy Guide CFM	2434
Energy Guide CFM Watts	146
Energy Guide 1st. Yearly Energy Cost	5
High Speed (CFM)	3524
Low Speed (CFM)	1200
Carton Size (CU FT)	1.08
Shipping Wt. (lbs)	12.37
UPS Oversized	No

### LED SPECS

Bulb CCT	3000K
Bulb Wattage	12
CRI	90
Lumens	657
Light Kit	Optional

### FINISH AND BLADE PAIRINGS



DC MOTOR    DAMP RATED    JAB TITLE 24  
cETLus LISTED    SMART BY BOND




## HOGAN 54" NEW

### FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23° Slope Mount with SMA180XX adapter
- 6" Downrod Included
- Custom Blades Included
- Optional 18 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- WIDC Handheld Control Included
- Wi-Fi Enabled with Smart by Bond Compatibility
- FB Finish is Damp Rated  
PN Finish is Indoor Rated

### CEILING DROP DIMENSIONS



### SPECS

Blade Sweep	54"
Number of Blades	6
Blade Pitch	11°
Motor Size (MM)	153x12
Included Control	WIDC-Handheld
Compatible Control Types	Type I
Amps (Hi Speed)	0.49
Watts (Hi Speed)	34.65
Energy Guide Watts	22
Energy Guide CFM	3144
Energy Guide CFM Watts	146
Energy Guide 1st. Yearly Energy Cost	6
High Speed (CFM)	4660
Low Speed (CFM)	1425
Carton Size (CU FT)	1.64
Shipping Wt. (lbs)	18.19
UPS Oversized	No

### LED SPECS

Bulb CCT	3000K
Bulb Wattage	18
CRI	93
Lumens	987
Light Kit	Optional

### FINISH AND BLADE PAIRINGS




**DC MOTOR** **cETLus LISTED**  
**SMART BY BOND** **JAB TITLE 24**

### FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23° Slope Mount with SMA180XX adapter
- 6" Downrod Included
- Custom Blades Included
- Integrated 32 Watt Dimmable LED Light Kit
- Adjustable CCT 3000K/4000K/5000K LED
- WIDC2-CCT-S Control Included
- Wi-Fi Enabled with Smart by Bond Compatibility
- Damp Rated

### CEILING DROP DIMENSIONS



### SPECS

Blade Sweep	42"
Number of Blades	3
Blade Pitch	6.5°
Motor Size (MM)	155x8
Included Control	WIDC2-CCT-S
Compatible Control Types	Type R
Amps (Hi Speed)	0.29
Watts (Hi Speed)	19.57
Energy Guide Watts	19
Energy Guide CFM	2602
Energy Guide CFM Watts	134
Energy Guide 1st. Yearly Energy Cost	5
High Speed (CFM)	2813
Low Speed (CFM)	2363
Carton Size (CU FT)	4.2
Shipping Wt. (lbs)	27.56
UPS Oversized	No

### LED SPECS

Bulb CCT	Adjustable
Bulb Wattage	32
CRI	90
Lumens	1608
Light Kit	Integrated


### FINISH AND BLADE PAIRINGS



**DC MOTOR** **DAMP RATED**  
**cSGSUs LISTED** **SMART BY BOND**




Brushed Polished Nickel  
**SOF42BNK3**  
Clear Polycarbonate Blades



Satin Brass  
**SOF42SB3**  
Clear Polycarbonate Blades



Chrome  
**RVL28CH4**  
Clear Acrylic Blades



Satin Brass  
**RVL28SB4**  
Clear Acrylic Blades


## SOFIA 42" NEW

### FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23° Slope Mount with SMA180XX adapter
- 6" Downrod Included
- Custom Blades Included
- Integrated 6 x 4 Watt Dimmable LED Light Kit
- WIDC2-S Handheld Control Included
- Indoor Rated

### CEILING DROP DIMENSIONS

A	21.69"
B	11.81"
C	19.29"
D	5.91"
E	4.09"
DR	6"



### SPECS

Blade Sweep	42"
Number of Blades	3
Blade Pitch	6.5°
Motor Size (MM)	155x8
Included Control	WIDC2-S
Compatible Control Types	Type Q
Amps (Hi Speed)	0.26
Watts (Hi Speed)	17.91
Energy Guide Watts	18
Energy Guide CFM	2709
Energy Guide CFM Watts	150
Energy Guide 1st. Yearly Energy Cost	5
High Speed (CFM)	2939
Low Speed (CFM)	2449
Carton Size (CU FT)	3.78
Shipping Wt. (lbs)	33.51
UPS Oversized	No

### LED SPECS

Bulb CCT	3000K
Bulb Wattage	4
CRI	80
Lumens	1920
Light Kit	Integrated

### FINISH AND BLADE PAIRINGS




## REVEAL 28" NEW

### FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23° Slope Mount with SMA180XX adapter
- 6" Downrod Included
- Custom Blades Included
- Integrated 5 x 4 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- WIDC Handheld Control Included
- Wi-Fi Enabled with Smart by Bond Compatibility
- Indoor Rated

### CEILING DROP DIMENSIONS

A	17.31"
B	15.50"
C	6.08"
D	6.03"
E	6.24"
DR	6"



### SPECS

Blade Sweep	24"
Number of Blades	4
Blade Pitch	14°
Motor Size (MM)	123x10
Included Control	WIDC-Handheld
Compatible Control Types	Type I
Amps (Hi Speed)	0.11
Watts (Hi Speed)	7.43
Energy Guide Watts	9
Energy Guide CFM	806
Energy Guide CFM Watts	87
Energy Guide 1st. Yearly Energy Cost	3
High Speed (CFM)	1121
Low Speed (CFM)	447
Carton Size (CU FT)	6.83
Shipping Wt. (lbs)	39.68
UPS Oversized	No

### LED SPECS

Bulb CCT	3000
Bulb Wattage	4
CRI	80
Lumens	1472
Light Kit	Integrated

### FINISH AND BLADE PAIRINGS





Flat Black & Greywood  
**WHS42FBGW3**  
Clear Polycarbonate Blades

## WHISKEY 42" NEW

### FEATURES

- Energy Saving, 6-Speed Reversible DC Motor
- Dual Mount, Flat or Angled Ceilings up to 23° Slope Mount with SMA180XX adapter
- 6" Downrod Included
- Custom Blades Included
- Integrated 3 x 8 Watt Dimmable LED Light Kit
- WIDC2-S Handheld Control Included
- Wi-Fi Enabled with Smart by Bond Compatibility
- Indoor Rated

### CEILING DROP DIMENSIONS

A	15.49"
B	11.81"
C	19.29"
D	5.91"
E	9.37"
DR	6"

### SPECS

Blade Sweep	42"
Number of Blades	3
Blade Pitch	6.5°
Motor Size (MM)	155x8
Included Control	WIDC2-S
Compatible Control Types	Type Q
Amps (Hi Speed)	0.27
Watts (Hi Speed)	18.58
Energy Guide Watts	17
Energy Guide CFM	2742
Energy Guide CFM Watts	155
Energy Guide 1st. Yearly Energy Cost	5
High Speed (CFM)	3030
Low Speed (CFM)	2416
Carton Size (CU FT)	3.78
Shipping Wt. (lbs)	26.46
UPS Oversized	No

### LED SPECS

Bulb CCT	3000K
Bulb Wattage	8
CRI	80
Lumens	2100
Light Kit	Integrated

### FINISH AND BLADE PAIRINGS



FLAT BLACK & GREYWOOD

CLEAR POLYCARBONATE

DC MOTOR


eSGS LISTED

SMART BY BOND



Brushed Polished Nickel  
**MCY42BNK3**  
Brushed Nickel Blades

Shown with Optional Lens Cover



Flat Black  
**MCY42FB3**  
Flat Black Blades



White  
**MCY42W3**  
White Blades

## MCCOY 42" 3 BLADE NEW

### FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
- 6" Downrod Included
- Custom Blades Included
- Optional 18 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- Hard Wired, 4 Speed Control Included
- Indoor Rated

### CEILING DROP DIMENSIONS

A	16.46"
B	13.78"
C	7.48"
D	5.91"
E	4.78"
DR	6"

eETLus LISTED

JAB TITLE 24

### SPECS

Blade Sweep	42"
Number of Blades	3
Blade Pitch	11°
Motor Size (MM)	153x15
Included Control	CM-7W-LED
Compatible Control Types	Types A, G, & J
Amps (Hi Speed)	0.39
Watts (Hi Speed)	47.35
Energy Guide Watts	29
Energy Guide CFM	2109
Energy Guide CFM Watts	73
Energy Guide 1st. Yearly Energy Cost	8
High Speed (CFM)	2961
Low Speed (CFM)	1143
Carton Size (CU FT)	1.28
Shipping Wt. (lbs)	14.99
UPS Oversized	No

### LED SPECS

Bulb CCT	3000K
Bulb Wattage	18
CRI	90
Lumens	1013
Light Kit	Optional

### FINISH AND BLADE PAIRINGS



BRUSHED POLISHED NICKEL


BRUSHED NICKEL

FLAT BLACK

FLAT BLACK

WHITE

WHITE



## MCCOY 52" 4 BLADE <sup>NEW</sup>


### FEATURES

- Standard, 4-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
- 6" Downrod Included
- Custom Blades Included
- Optional 18 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- Hard Wired, 4 Speed Control Included
- Indoor Rated


### SPECS

Blade Sweep	52"
Number of Blades	4
Blade Pitch	11°
Motor Size (MM)	153x15
Included Control	CM-7W-LED
Compatible Control Types	Types A, G, & J
Amps (Hi Speed)	0.46
Watts (Hi Speed)	55.65
Energy Guide Watts	33
Energy Guide CFM	2461
Energy Guide CFM Watts	74
Energy Guide 1st. Yearly Energy Cost	9
High Speed (CFM)	3784
Low Speed (CFM)	1188
Carton Size (CU FT)	1.28
Shipping Wt. (lbs)	16.31
UPS Oversized	No

### FINISH AND BLADE PAIRINGS



### CEILING DROP DIMENSIONS



### LED SPECS

Bulb CCT	3000K
Bulb Wattage	18
CRI	90
Lumens	1000
Light Kit	Optional

eTLus LISTED    JAB TITLE 24

## MCCOY 52" 5 BLADE <sup>NEW</sup>

### FEATURES

- Standard, 3-Speed Reversible AC Motor
- Dual Mount, Flat or Angled Ceilings up to 23°
- 6" Downrod Included
- Custom Blades Included
- Optional 18 Watt Dimmable LED Light Kit and Optional Lens Cover Included
- Hard Wired, 4 Speed Control Included
- Indoor Rated


### SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	11°
Motor Size (MM)	153x15
Included Control	CM-7W-LED
Compatible Control Types	Types A, G, & J
Amps (Hi Speed)	0.46
Watts (Hi Speed)	56.25
Energy Guide Watts	34
Energy Guide CFM	2451
Energy Guide CFM Watts	73
Energy Guide 1st. Yearly Energy Cost	9
High Speed (CFM)	3538
Low Speed (CFM)	1219
Carton Size (CU FT)	1.28
Shipping Wt. (lbs)	17.42
UPS Oversized	No

### FINISH AND BLADE PAIRINGS




### CEILING DROP DIMENSIONS



### LED SPECS

Bulb CCT	3000K
Bulb Wattage	18
CRI	90
Lumens	1000
Light Kit	Optional

eTLus LISTED    JAB TITLE 24




## WHEELER 52" 3 LIGHT NEW

### FEATURES

- Standard, 3-Speed Reversible AC Motor
- Flush Mount Only
- Custom Blades Included
- Integrated 3 x 9 Watt Dimmable LED Light Kit
- Standard Pull Chain Control
- Indoor Rated

### CEILING DROP DIMENSIONS

F	15.31"
G	7"
H	9.84"
I	6.30"




### SPECS

Blade Sweep	52"
Number of Blades	5
Blade Pitch	11.5°
Motor Size (MM)	153x15
Included Control	Pull Chain
Compatible Control Types	Types A, G, & J
Amps (Hi Speed)	0.48
Watts (Hi Speed)	58.25
Energy Guide Watts	38
Energy Guide CFM	2330
Energy Guide CFM Watts	62
Energy Guide 1st. Yearly Energy Cost	11
High Speed (CFM)	3126
Low Speed (CFM)	1426
Carton Size (CU FT)	1.60
Shipping Wt. (lbs)	17.2
UPS Oversized	No

### LED SPECS

Bulb CCT	3000K
Bulb Wattage	9
CRI	80
Lumens	2520
Light Kit	Integrated

### FINISH AND BLADE PAIRINGS




## WHEELER 52" BOWL LIGHT NEW

### FEATURES

- Standard, 3-Speed Reversible AC Motor
- Flush Mount Only
- Custom Blades Included
- Integrated 2 x 9 Watt Dimmable LED Light Kit
- Standard Pull Chain Control
- Indoor Rated

### CEILING DROP DIMENSIONS

F	13.50"
G	7.05"
H	9.84"
I	6.30"




### SPECS


Blade Sweep	52"
Number of Blades	5
Blade Pitch	11.5°
Motor Size (MM)	153x15
Included Control	Pull Chain
Compatible Control Types	Types A, G, & J
Amps (Hi Speed)	0.48
Watts (Hi Speed)	58.8
Energy Guide Watts	38
Energy Guide CFM	2246
Energy Guide CFM Watts	59
Energy Guide 1st. Yearly Energy Cost	11
High Speed (CFM)	3001
Low Speed (CFM)	1389
Carton Size (CU FT)	1.55
Shipping Wt. (lbs)	16.98
UPS Oversized	No

### LED SPECS

Bulb CCT	3000K
Bulb Wattage	9
CRI	80
Lumens	1727
Light Kit	Optional

### FINISH AND BLADE PAIRINGS






**Aged Bronze Textured  
BW116AG3**  
Aged Brone Textured Blades

**DAMP RATED**



**Brushed Polished Nickel  
BW116BNK3**  
Brushed Polished Nickel Blades

**NEW FINISH**



**Flat Black  
BW116FB3**  
Flat Black Blades

**DAMP RATED**




**Aged Bronze Textured  
BW116AG3-HW**  
Aged Bronze Textured Blades

**DAMP RATED**



**Brushed Polished Nickel  
BW116BNK3-HW**  
Brushed Polished Nickel Blades

**NEW FINISH**



**Flat Black  
BW116FB3-HW**  
Flat Black Blades

**DAMP RATED**

## BELLOWS | 16" NEW FINISH

### FEATURES

- Heavy-Duty, 3-Speed, Oscillating, AC Motor
- Wall Mount Installation
- Custom Blades Included
- Not Light Kit Adaptable
- AG & FB Finishes are Damp Rated  
BNK Finish is Indoor Rated


### SPECS

Blade Sweep	14"
Number of Blades	3
Blade Pitch	7°
Motor Size (MM)	82x25
Carton Size (CU FT)	4.78
Shipping Wt. (lbs)	19.62
UPS Oversized	No

### FINISH AND BLADE PAIRINGS

 AGED BRONZE TEXTURED	 AGED BRONZE TEXTURED
 BRUSHED POLISHED NICKEL	 BRUSHED POLISHED NICKEL
 FLAT BLACK	 FLAT BLACK

### CEILING DROP DIMENSIONS



DAMP RATED cETLus LISTED

## BELLOWS | 16" HARD-WIRED NEW FINISH

### FEATURES

- Heavy-Duty, 3-Speed, Oscillating, AC Motor
- Wall Mount Installation
- Custom Blades Included
- Not Light Kit Adaptable
- CM-8W Wall Control Included
- AG & FB Finishes are Damp Rated  
BNK Finish is Indoor Rated


### SPECS

Blade Sweep	14"
Number of Blades	3
Blade Pitch	7°
Motor Size (MM)	82x25
Included Control	CM-8W
Compatible Control Types	CM-8W
Carton Size (CU FT)	4.78
Shipping Wt. (lbs)	19.62
UPS Oversized	No

### FINISH AND BLADE PAIRINGS

 AGED BRONZE TEXTURED	 AGED BRONZE TEXTURED
 BRUSHED POLISHED NICKEL	 BRUSHED POLISHED NICKEL
 FLAT BLACK	 FLAT BLACK

### CEILING DROP DIMENSIONS



DAMP RATED cETLus LISTED



**Aged Bronze Textured  
BW248AG6**  
Aged Bronze Textured Blades

**DAMP RATED**

**Brushed Polished Nickel  
BW248BNK6**  
Brushed Polished Nickel Blades  
Shown with Optional Lens Cover

**NEW FINISH**

**Flat Black  
BW248FB6**  
Flat Black Blades

**DAMP RATED**



**Aged Bronze Textured  
BW321AG3**  
Aged Bronze Textured Blades

**DAMP RATED**

**Brushed Polished Nickel  
BW321BNK3**  
Brushed Polished Nickel Blades

**NEW FINISH**

**Flat Black  
BW321FB3**  
Flat Black Blades

**DAMP RATED**

## BELLOWS II 48" NEW FINISH

### FEATURES

- Heavy-Duty, 3-Speed AC Motor, On/Off Rotation
- Dual Mount, Flat or Angled Ceilings up to 23°
- 4" Downrod Included
- 80° Tilt Feature on Both Motor Head Units
- Custom Blades Included
- Optional 2 Bulb 9 Watt Non-Dimmable LED Light Kit with Optional Lens Cover Included
- Bellows Wall and Remote Controls Included
- AG & FB Finishes are Damp Rated  
BNK Finish is Indoor Rated

### SPECS

Blade Sweep	48"
Number of Blades	6
Blade Pitch	7°
Motor Size (MM)	82x25
Included Control	Bellows
Compatible Control Types	Bellows
Amps (Hi Speed)	0.71
Watts (Hi Speed)	84.59
Energy Guide Watts	60
Energy Guide CFM	2628
Energy Guide CFM Watts	44
Energy Guide 1st. Yearly Energy Cost	17
High Speed (CFM)	3411
Low Speed (CFM)	1739
Carton Size (CU FT)	7.02
Shipping Wt. (lbs)	33.97
UPS Oversized	Yes

### FINISH AND BLADE PAIRINGS

AGED BRONZE TEXTURED	AGED BRONZE TEXTURED
BRUSHED POLISHED NICKEL	BRUSHED POLISHED NICKEL
FLAT BLACK	FLAT BLACK

### CEILING DROP DIMENSIONS

A	17.50"
B	10.77"
C	11.54"
D	5.91"
E	12.93"
DR	4"

### LED SPECS

Bulb CCT	3000K
Bulb Wattage	9
CRI	80
Lumens	1500
Light Kit	Optional

**DAMP RATED** **cETLus LISTED**

## BELLOWS III 21" NEW FINISH

### FEATURES

- Heavy-Duty, 3-Speed AC Motor, On/Off Rotation
- Dual Mount, Flat or Angled Ceilings up to 23°
- 4" Downrod Included
- 90° Tilt Feature on Both Motor Head Units
- Custom Blades Included
- Not Light Kit Adaptable
- Bellows Wall & Remote Controls Included
- AG & FB Finishes are Damp Rated  
BNK Finish is Indoor Rated

### SPECS

Blade Sweep	18"
Number of Blades	3
Blade Pitch	7°
Motor Size (MM)	82x65
Included Control	Bellows
Compatible Control Types	Bellows
Amps (Hi Speed)	0.44
Watts (Hi Speed)	51.03
Energy Guide Watts	42
Energy Guide CFM	1950
Energy Guide CFM Watts	47
Energy Guide 1st. Yearly Energy Cost	12
High Speed (CFM)	2379
Low Speed (CFM)	1463
Carton Size (CU FT)	5.38
Shipping Wt. (lbs)	21.58
UPS Oversized	No




### FINISH AND BLADE PAIRINGS

AGED BRONZE TEXTURED	AGED BRONZE TEXTURED
BRUSHED POLISHED NICKEL	BRUSHED POLISHED NICKEL
FLAT BLACK	FLAT BLACK

### CEILING DROP DIMENSIONS

A	24.30"
B	24.30"
C	5.91"
DR	4"

**DAMP RATED** **cETLus LISTED**



## BELLOWS IV 14" NEW FINISH

### FEATURES

- Heavy-Duty, 3-Speed, Oscillating, AC Motor
- Wall Mount Installation
- Custom Blades Included
- Not Light Kit Adaptable
- CM-8W Wall Control Included
- Hard-Wired Directly to Junction Box
- AG & FB Finishes are Damp Rated  
BNK Finish is Indoor Rated


### SPECS

Blade Sweep	14"
Number of Blades	3
Blade Pitch	7°
Motor Size (MM)	82x25
Included Control	CM-8W
Compatible Control Types	CM-8W
Carton Size (CU FT)	4.18
Shipping Wt. (lbs)	20.28
UPS Oversized	No

### FINISH AND BLADE PAIRINGS

 AGED BRONZE TEXTURED	 AGED BRONZE TEXTURED
 BRUSHED POLISHED NICKEL	 BRUSHED POLISHED NICKEL
 FLAT BLACK	 FLAT BLACK

### CEILING DROP DIMENSIONS



**DAMP RATED** **cETLus LISTED**





## Resources

Finishes	98
Blade Finishes	99
Accessory Compatibility	100
Control Compatibility	101
Warranty	102

# FINISHES



ABZ Aged Bronze Brushed



AG Aged Bronze Textured




BNK Brushed Polished Nickel



CH Chrome



FB Flat Black



GW Greywood



MG Matte Gold



MWW Matte White



PLN Polished Nickel



PN Painted Nickel



SB Satin Brass



WAL Walnut



W White

# BLADE FINISHES



Aged Bronze Textured




Black Walnut



Brushed Nickel



Brushed Polished Nickel



Clear Acrylic



Clear Polycarbonate



Driftwood



Flat Black



Greywood



Painted Nickel



Walnut



Washed Oak



White

# ACCESSORY COMPATIBILITY

● COMPATIBLE

NAME	MODEL NUMBER	DOWNRODS										HARDWARE ADAPTERS						
		DR3XX	DR4XX	DR6XX	DR12XX	DR18XX	DR24XX	DR36XX	DR48XX	DR60XX	DR72XX	COUPLER-XX	SA130XX	SMA180-XX	GWS-XX	CLS-XX	45AD-XX	CMAWF-XX
Bellows I 16"	BW116XX3																	
Bellows I 16" HW	BW116XX3-HW																	
Bellows II 48"	BW248XX6	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Bellows III 21"	BW321XX3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Bellows IV 14"	BW414XX3																	
Donovan 52"	DVN52XX3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Hogan 54"	HGN54XX6	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
McCoy 42" 3 Blade	MCY42XX3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
McCoy 52" 4 Blade	MCY52XX4	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
McCoy 52" 5 Blade	MCY52XX5	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Nate 52"	NTE52XX3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Otto 60"	OTT60XX3			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Quell 52"	QUL52XX4	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Reveal 28"	RVL28XX4	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Sofia 42"	SOF42XX3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Theiry 52"	TRY52XX5	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Topper 52"	TOP52XX5	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Union 42"	UN42XX3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Wheeler 52" Bowl	WHL52XX5C1																	
Wheeler 52" 3 LT	WHL52XX5C3																	
Whiskey 42"	WHS42XX3	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

# CONTROL COMPATIBILITY

● COMPATIBLE

NAME	MODEL NUMBER	TYPE																H	I	J	K	M	Q	R	
		UCI-2000	A		B	D	E	G																	
		UCI-2000	UCI-2000-2	UCI-WALL	UCIXL-2000	IDC2-WALL	IDC-WALL	CM-4SDH	CM-4SDH-5	CM-RTF-W	CM-601F	CM-6W	CM-7W-LED	CM-8W	ICS-WALL	WIDC-HANDHELD	WIDC-WALL	WUCI-1000	WCS-100	WCSD-100	WIDC-CCT	WIDC2-S	WIDC2-CCT-S		
Bellows I 16"	BW116XX3																								
Bellows I 16" HW	BW116XX3-HW													●											
Bellows II 48"	BW248XX6																								
Bellows III 21"	BW321XX3																								
Bellows IV 14"	BW414XX3												●												
Donovan 52"	DVN52XX3														●	●									
Hogan 54"	HGN54XX6														●	●									
McCoy 42" 3 Blade	MCY42XX3	●	●	●					●	●	●	●	●	●				●							
McCoy 52" 4 Blade	MCY52XX4	●	●	●					●	●	●	●	●	●				●							
McCoy 52" 5 Blade	MCY52XX5	●	●	●					●	●	●	●	●	●				●							
Nate 52"	NTE52XX3														●	●									
Otto 60"	OTT60XX3																					●			
Quell 52"	QUL52XX4															●	●								
Reveal 28"	RVL28XX4															●	●								
Sofia 42"	SOF42XX3																							●	
Theiry 52"	TRY52XX5																					●			
Topper 52"	TOP52XX5																					●			
Union 42"	UN42XX3																							●	
Wheeler 52" 3 LT	WHL52XX5C1	●	●	●									●	●	●	●	●	●	●	●		●			
Wheeler 52" Bowl	WHL52XX5C3	●	●	●									●	●	●	●	●	●	●	●		●			
Whiskey 42"	WHS42XX3																							●	

# WARRANTY

## CRAFTMADE LIGHTING LIMITED WARRANTY

Craftmade warrants all of its products to be free from defects in material and workmanship, subject to certain conditions and exclusions, for period of one year from the date the product was shipped to the original end use purchaser. LED product is warranted for a period of 3 years from the date purchased or shipped to the original end use purchaser.

**Craftmade will warrant its product only if it is sold through an authorized Craftmade dealer.**

Craftmade will, at its discretion, repair, replace, or make appropriate adjustment where inspection discloses any defects occurring in normal usage within the applicable time period above, subject to the following conditions and exclusions.

The following costs, expenses, and damages are not covered by the provisions of this limited warranty:

1. Labor costs including, but not limited to, costs associated with the removal and reinstallation of product;
2. Shipping and freight expenses required to return product to Craftmade.

All warranties only apply to the original end use purchaser and original installation of products. **This warranty is not transferable.** The provisions of this warranty do not apply to products that are used in commercial applications; used for purposes for which they are not designed or intended; which have been subjected to alteration, accidental damage, abuse, misuse, negligence, or accident; which have been improperly stored, installed, maintained, or operated; which have been used in violation of written instructions provided by Craftmade; which have been subjected to improper temperature, humidity, or other environmental conditions; or which, based on examination by Craftmade, do not disclose to the satisfaction of Craftmade non-conformance to the warranty. Additionally, this warranty **DOES NOT COVER** scratches, abrasions, or deterioration due to the use of paints, solvents, chemicals or abrasive cleaning techniques.

The above warranties also do not apply if:

1. The original bill of sale, delivery date, or product number cannot be verified.
2. The parts claimed to be defective are not returned for inspection if so requested by Craftmade.
3. The product is not in the possession of the original end use purchaser at the time warranty claim is made.

## PARTS, REPLACEMENTS, & TECHNICAL ASSISTANCE

For parts, replacements, technical assistance, or additional information, please have the product model number, name, or picture available and contact your lighting dealer or Craftmade Customer Support

Craftmade Customer Support:  
Phone – 1 (800) 486-4892 Option 1  
Email – customerservice@craftmade.com  
Craftmade Technical Support:  
Phone – 1 (800) 486-4892 Option 2

## WARRANTY EXCLUSIONS

We use the best weather resistant finishes, nevertheless finishes for fixtures installed outdoors are subject to change due to prolonged exposure to sunlight, pollutants, and other environmental conditions. Any claim for fading, discoloration, or “patina” of a finish on an outdoor fixture is not applicable to the above warranty. See the Finish Care & Cleaning instructions below for proper care and maintenance of your fixture.

The environment within ten miles of a sea coast can be extremely corrosive. Even with the appropriate maintenance, products installed in this environment will typically deteriorate more than products installed in a less severe environment. Some corrosion and/or deterioration is considered “normal wear” in this environment. Any claim for finish failures or for corrosion of other components due to coastal environment conditions is not applicable to the above warranty.

We cannot warranty our Direct Burial Poles due to environmental issues such as moisture, soil acidity, and other corrosive soil and air conditions.

At Craftmade we try our best to assure that glass and metal finishes shown in our catalogs match the actual product, but chemical finish variations and hand applied finishes can result in differences between the actual product and printed images. Craftmade does not authorize any person to create for it any obligation or liability in connection with its products. The maximum liability is limited to the original purchase price of the product. No action arising out of any claimed breach of this warranty by Craftmade may be brought by the Original User more than one (1) year after the cause of action has arisen.

**IMPLIED WARRANTIES INCLUDING THAT OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY LIMITED TO THE DURATION OF THIS WARRANTY. CRAFTMADE AND/OR SELLER DISCLAIMS ANY LIABILITY FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES.**

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Some states do not allow limitations on incidental or consequential damages or how long an implied warranty lasts, so that the above limitations may not fully apply to you. Refer to your local laws for your specific rights under this warranty.

## CARE & CLEANING

Initial care for finishes requires periodic cleaning with a soft cloth, dampened with water. A mild non-abrasive soap may be used along with a soft cloth and water if the fixture is very dirty. Particular care should be taken to avoid abrasive materials and strong cleaning agents as they will quickly destroy the protective coatings and subject the finish to oxidation and discoloration.

## CRAFTMADE LIMITED LIFETIME WARRANTY

Craftmade warrants this fan for use as intended under the following provision: Craftmade will replace any fan which has faulty performance due to a defect in material or workmanship or fails to operate satisfactorily when failure results from normal use.

If within the first year of purchase, please contact your original dealer. Otherwise, contact Craftmade Customer Service at 1-800-486-4892, Option 1 or via email at customer.service@craftmade.com.

In the event a product is no longer available, CRAFTMADE will make best efforts to offer a comparable product.

The purchaser shall be responsible for all costs incurred including installation fees.

This warranty does not apply when damage from mechanical, physical, electrical or water abuse results in causing the malfunction. Deterioration of finishes or other parts due to time or exposure to salt air is specifically exempted under this warranty. Glass globes and light bulbs are not covered by this warranty but will be replaced if found broken at time of purchase.

Neither CRAFTMADE nor the manufacturer will assume an liability resulting from improper installation or use of this product. In no case shall the company be liable for any consequential damages for breach of this, or any other warranty expressed or implied whatsoever. This limitation as to consequential damages shall not apply in states where prohibited.

## PARTS, REPLACEMENTS, & TECHNICAL ASSISTANCE

For parts, replacements, technical assistance, or additional information, please have the fan model number, name, or picture available and contact Craftmade Customer Support.

Craftmade Customer Support:  
Phone – 1 (800) 486-4892 Option 1  
Email – customerservice@craftmade.com  
Craftmade Technical Support:  
Phone – 1 (800) 486-4892 Option 2

## TROUBLESHOOTING

Warning: Failure to disconnect power supply prior to troubleshooting any wiring issues may result in serious injury.

**Problem:** Fan fails to operate.

**Solutions:**

1. Check wall switch to fan.
2. Check to be sure fan and wall switch are wired properly.
3. Verify reverse switch is set completely in either direction.
4. Check that red light on remote control is steady when button is pressed indicating that battery is good.  
If red light is flashing, battery needs to be replaced.

**Problem:** Fan and light fails to operate with remote.

**Solutions:**

1. Check that red light on remote control is steady when button is pressed indicating that battery is good.  
If red light is flashing, battery needs to be replaced.
2. Check wall switch battery housed underneath faceplate and replace if needed.
3. Learning process between fan and remote control may not have been successful. Turn off power and repeat instructions.

**Problem:** Fan operates but light fails to operate.

**Solutions:**

1. Check wall switch to fan.
2. Check that wires in canopy are wired properly.
3. Verify light kit Molex connections are connected properly.
4. Learning process between fan and remote control may not have been successful. Turn off power and repeat instructions.

**Problem:** Light operates but fan fails to operate.

**Solution:**

1. Contact Craftmade Technical Support:  
Phone – 1 (800) 486-4892 Option 2  
Email – customerservice@craftmade.com.  
Please have fan model name, name, or picture available.

**Problem:** Fan wobbles.

**Solutions:**

1. Use the balancing kit provided in one of the hardware packs. If no blade balancing kit is provided, please contact Customer Support, at 1-800-486-4892, or customerservice@craftmade.com to request one.
2. Ensure set screw(s) on motor housing yoke is (are) tightened securely.
3. Ensure set screw on hanging ball is tightened securely.



WHEELER 52" 3 LIGHT  
Page 88

## Index

Lighting Visual Index	106
Ceiling Fan Visual Index	107
Indoor / Outdoor Ceiling Fan Visual Index	109
Numeric Index	110

# LIGHTING VISUAL INDEX

# CEILING FAN VISUAL INDEX

**NEW**



**JACKIE**  
594XX  
Page 28

**NEW**



**KOKOMO**  
583XX  
Page 34

**NEW**



**MESH**  
589XX  
Page 32

**NEW**



**REVEAL**  
592XX  
Page 30

**NEW**



**SCULPTURAL STATMENT**  
P10XX  
Page 35

**NEW**



**SERENA**  
585XX  
Page 33

**NEW**



**BELLOWS I 16"**  
BW116XX3  
Page 90 **DAMP RATED**

**NEW**



**BELLOWS I 16" HW**  
BW116XX3-HW  
Page 91 **DAMP RATED**

**NEW**



**BELLOWS II 48"**  
BW248XX6  
Page 92 **DAMP RATED**

**NEW**



**BELLOWS III 21"**  
BW321XX3  
Page 93 **DAMP RATED**

**NEW**



**BELLOWS IV 14"**  
BW414XX3  
Page 94 **DAMP RATED**

**NEW**



**DONOVAN 52"**  
DVN52XX3  
Page 79 **DAMP RATED**

**NEW**



**HOGAN 54"**  
HGN54XX6  
Page 80 **DAMP RATED**

**NEW**



**McCOY 42" 3 BLADE**  
MCY42XX3  
Page 85

**NEW**



**McCOY 52" 4 BLADE**  
MCY52XX4  
Page 86

**NEW**



**McCOY 52" 5 BLADE**  
MCY52XX5  
Page 87

**NEW**



**NATE 52"**  
NTE52XX3  
Page 78 **DAMP RATED**

**NEW**



**OTTO 60"**  
OTT60XX3  
Page 76

**NEW**



**QUELL 52"**  
QUL52XX4  
Page 77 **DAMP RATED**

**NEW**



**REVEAL 28"**  
RVL28XX4  
Page 83

**NEW**



**SOFIA 42"**  
SOF42XX3  
Page 82

**NEW**



**THEIRY 52"**  
TRY52XX5  
Page 74

# CEILING FAN VISUAL INDEX CONTINUED

# INDOOR / OUTDOOR CEILING FAN VISUAL INDEX

**NEW**



**TOPPER 52"**  
TOP52XX5  
Page 75 **WET RATED**

**NEW**



**UNION 42"**  
UN42XX3  
Page 81 **DAMP RATED**

**NEW**



**WHEELER 52" 3 LT**  
WHL52XX5C3  
Page 88

**NEW**



**WHEELER 52" BOWL LT**  
WHL52XX5C1  
Page 89

**NEW**



**BELLOWS I 16"**  
BW116XX3  
Page 90 **DAMP RATED**

**NEW**



**BELLOWS I 16" HW**  
BW116XX3-HW  
Page 91 **DAMP RATED**

**NEW**



**BELLOWS II 48"**  
BW248XX6  
Page 92 **DAMP RATED**

**NEW**



**BELLOWS III 21"**  
BW321XX3  
Page 93 **DAMP RATED**

**NEW**



**WHISKEY 42"**  
WHS42XX3  
Page 84

**NEW**



**BELLOWS IV 14"**  
BW414XX3  
Page 94 **DAMP RATED**

**NEW**



**DONOVAN 52"**  
DVN52XX3  
Page 79 **DAMP RATED**

**NEW**



**HOGAN 54"**  
HGN54XX6  
Page 80 **DAMP RATED**

**NEW**



**NATE 52"**  
NTE52XX3  
Page 78 **DAMP RATED**

**NEW**



**QUELL 52"**  
QUL52XX4  
Page 77 **DAMP RATED**

**NEW**



**TOPPER 52"**  
TOP52XX5  
Page 75 **WET RATED**

**NEW**



**UNION 42"**  
UN42XX3  
Page 81 **DAMP RATED**

# NUMERIC INDEX

<b>1</b>		<b>M</b>	
11805FBSB1	38	MCY42XX3	85
11811FBSB2	38	MCY52XX4	86
11819FBSB3	38	MCY52XX5	87
11827FBSB4	38	MIR3601SQ-W3C	42
11835FBSB5	38	MIR4801RT-W3C	43
17605XX1	39	MIR6001RT-FB3C	43
17614XX2	39	MIR6002RT-BNK3C	43
17621XX3	39		
17631XX4	39		
17705XX1	38	<b>N</b>	
17712XX2	38		
17720XX3	38	NTE52XX3	78
17728XX4	38		
		<b>O</b>	
<b>5</b>		OTT60XX3	76
58324-XX	34		
58326-XX	34		
58329-XX	34	<b>P</b>	
58361-XX	34		
58362-XX	34	P1000FB-LED	35
58561-XX	33	P1001FB-LED	35
58591-XX	33	P1005XX-LED	35
58596-XX	33	P1006XX-LED	35
58992-XX	32	P1010XX-LED	35
58994-XX	32	P1011XX-LED	35
58999-XX	32		
59201-CH	31, 39		
59203-CH	31, 39	<b>Q</b>	
59204-CH	31, 39		
59213-CH	30	QUL52XX4	77
59229-CH	31		
59253-CH	31		
59291-CH	31	<b>R</b>	
59460-XX-LED	29		
59490-XX-LED	28	RVL28XX4	83
59491-XX-LED	29		
59492-XX-LED	29		
59493-XX-LED	29	<b>S</b>	
59494-XX-LED	29		
59495-XX-LED	28	SOF42XX3	82
<b>B</b>		<b>T</b>	
BW116XX3	90	TOP52XX5	75
BW116XX3-HW	91	TRY52XX5	74
BW248XX6	92		
BW321XX3	93		
BW414XX3	94	<b>U</b>	
		UN42FB3	81
<b>D</b>		<b>W</b>	
DVN52XX3	79		
		WHL52XX5C1	89
<b>H</b>		WHL52XX5C3	88
HGN54XX6	80	WHS42FBGW3	84

# CRAFTMADE

## **DALLAS**

Dallas Market Center  
Trade Mart, Suite 4902  
2100 Stemmons Freeway  
Dallas, TX 75207

## **LAS VEGAS**

World Market Center, Suite C-496  
455 S. Grand Central Parkway  
Las Vegas, NV 89106

800 486 4892

CRAFTMADE.COM